

24 hour Holter report

Your Logo Here

LAB NUMBER	CS-45678	RECORDING DATE	23/07/2018
NAME	Stallone Sylvestor	REFERRED BY	Dr Watson
D.O.B	23/12/1952	REPORTED BY	Doctor
GENDER	Male	REPORTED DATE	12/03/2019
INDICATIONS		LOCATION	Australia
MEDS			

CONCLUSIONS


Sinus bradycardia.
 The average heart rate was 62. The minimum heart rate was 42 at 04:40. The maximum heart rate was 95 at 04:52.
 Rare ventricular ectopics.
 Occasional supraventricular ectopics including rare couplets and a 9-beat run of supraventricular tachycardia, rate up to 150 bpm.
 No pauses greater than 2.0 seconds.
 No patient events.


Analysed byCS

Doctor

HEART RATE		VENTRICULAR ECTOPY		HEART RATE VARIABILITY	
Minimum HR-4 Intervals:	42 bpm at 4:40	VE Total:	4	SDNN-24 Hour:	121
Maximum HR-4 Intervals:	95 bpm at 4:52	V-Pair Total:	0	SDANN Index:	95
Average HR-24 Hours:	52 bpm	V-Run Total:	0	SDNN Index:	64
Minimum HR-Hourly:	46 bpm at 5:00	Longest V-Run:	N/A	rMSSD:	31
Maximum HR-Hourly:	62 bpm at 18:00	Maximum HR V-Run:	N/A	pNN50:	9
Analyzed Beats:	74888	Minimum HR V-Run:	N/A	Spectral Power-24 Hour:	4378.5
Analyzed Minutes:	1425	VE's per 1000/per Hour:	1/1	Min Spectral Power Hour:	2529.1
ECG Monitoring Period:	23 hours 45 minute	Ventricular R on T:	N/A	Max Spectral Power Hour:	9591.7
ST SEGMENT ANALYSIS		SUPRAVENTRICULAR ECTOPY		PAUSES	
Total ST Minutes CH1:	0	SVE Total:	108	Pauses in Excess of 2.0 sec:	0
Total ST Minutes CH2:	0	SVE Pair Total:	11	Max Pause:	N/A
Total ST Minutes CH3:	0	SV-Run Total:	1	QT	
Max Abs. ST Depression:	N/A	Longest SV-Run:	9 beats at 22:57	Max QT:	514 ms (Ch. 1)
Max Abs. ST Elevation:	N/A	Maximum HR SV-Run:	127 bpm at 22:57	Max QTc:	521 ms
Max ST Episode:	N/A	SVE's per 1000/per hour:	2/5	Time of Max QT:	at 18:34. HR 70 bpm.
Max HR In ST Episode:	59	Total Aberrant Beats/Runs:	0/0	BBB	N/A
		Atrial Fib/Flutter:	0.0%		

SIGNIFICANT ECG EVENTS





Time	Total Beats	Avg HR	Min HR	Max HR	SDNN	Spectral Power	Absolute ST CH 1	Absolute ST CH 2	Absolute ST CH 3	VE	V-Pair	V-Run	SVE	SV Run > 2.0 sec	Pause	SV-Bi	SV-Tri	V-Big	V-Tri	BBB				
16:45	918	58	48	68	115	6076.3	0	+0.3	0	+0.5	0	-0.5	0	0	0	3	0	0	1	0	0	0	0	
17:00	3530	59	47	81	90	4182.1	0	+0.2	0	+0.5	0	-0.3	0	0	0	2	0	0	0	0	0	0	0	0
18:00	3715	62	49	75	74	2569.1	0	+0.2	0	+0.5	0	-0.4	1	0	0	5	0	0	0	0	0	0	0	0
19:00	3208	53	47	81	94	4425.2	0	0.0	0	+0.4	0	-0.3	0	0	0	2	0	0	0	0	0	0	0	0
20:00	3121	52	47	67	56	2529.1	0	+0.1	0	+0.4	0	-0.1	0	0	0	6	0	0	0	0	0	0	0	0
21:00	3169	53	46	87	103	4080.7	0	+0.1	0	+0.4	0	-0.3	0	0	0	6	0	0	0	0	0	0	0	0
22:00	3085	51	45	88	65	3358.4	0	+0.3	0	+0.5	0	-0.2	0	0	0	13	1	0	0	0	0	0	0	0
23:00	3149	52	45	80	87	4761.4	0	+0.3	0	+0.5	0	-0.2	1	0	0	5	0	0	0	0	0	0	0	0
0:00	3078	51	45	85	116	6143.7	0	+0.3	0	+0.5	0	-0.3	0	0	0	4	0	0	0	0	0	0	0	0
1:00	3093	51	45	84	78	3393.9	0	+0.3	0	+0.4	0	-0.2	0	0	0	3	0	0	0	0	0	0	0	0
2:00	3101	52	45	81	69	3581.1	0	+0.4	0	+0.5	0	-0.1	1	0	0	6	0	0	0	0	0	0	0	0
3:00	2946	49	43	66	63	3274.1	0	+0.3	0	+0.5	0	-0.2	0	0	0	5	0	0	0	0	0	0	0	0
4:00	2990	50	42	95	110	9591.7	0	+0.2	0	+0.3	0	-0.4	1	0	0	7	0	0	0	0	0	0	0	0
5:00	2768	46	42	63	73	4148.8	0	+0.4	0	+0.6	0	-0.3	0	0	0	2	0	0	0	0	0	0	0	0
6:00	3403	57	45	87	98	5541.6	0	+0.4	0	+0.6	0	-0.1	0	0	0	8	0	0	0	0	0	0	0	0
7:00	3232	58	45	84	141	3174.6	0	+0.4	0	+0.6	0	-0.1	0	0	0	4	0	0	0	0	0	0	0	0
8:00	3081	51	44	65	80	4402.1	0	+0.3	0	+0.7	0	-0.3	0	0	0	8	0	0	0	0	0	0	0	0
9:00	3083	51	42	69	108	7102.4	0	+0.5	0	+0.8	0	0.0	0	0	0	2	0	0	0	0	0	0	0	0
10:00	2929	48	43	63	60	2872.7	0	+0.3	0	+0.7	0	-0.1	0	0	0	3	0	0	0	0	0	0	0	0
11:00	2987	50	44	63	67	2749.8	0	+0.3	0	+0.6	0	-0.2	0	0	0	5	0	0	0	0	0	0	0	0
12:00	3007	50	43	68	92	4205.3	0	+0.4	0	+0.7	0	0.0	0	0	0	5	0	0	0	0	0	0	0	0
13:00	3151	52	45	76	97	5451.1	0	+0.4	0	+0.6	0	-0.3	0	0	0	4	0	0	0	0	0	0	0	0
14:00	3044	51	46	72	59	3213.9	0	+0.1	0	+0.5	0	-0.2	0	0	0	0	0	0	0	0	0	0	0	0
15:00	3414	57	47	84	137	5279.4	0	+0.1	0	+0.3	0	-0.3	0	0	0	0	0	0	0	0	0	0	0	0
16:00	1686	60	46	80	94	4425.2	0	+0.2	0	+0.5	0	-0.3	0	0	0	0	0	0	0	0	0	0	0	0
Totals	74888	52	42	95	121	4378.5	0	+0.5	0	+0.8	0	-0.5	4	0	0	108	1	0	1	0	0	0	0	0

